

RESOLUTION DECLARING A REAL AND PRESENT EMERGENCY EXISTS DUE TO IMMEDIATE ELEVATOR REPAIRS NECESSARY FOR COURTHOUSE ACCESSIBILITY- AS AMENDED

WHEREAS, in accordance with the provisions of Ohio Revised Code §307.86 (A) competitive bidding is not required when the Board of Commissioners by unanimous vote of its members makes a determination that a real and present emergency exists and such determination and the reasons therefor are entered into the minutes of the proceedings of the Board; and

WHEREAS, this Board has been informed by the Ashtabula County Administrator, that emergency repairs will need to be completed immediately for the elevators in the main courthouse to be handicapped accessible to the public, as both elevators are inoperable and public persons cannot be safely transported to offices or courtrooms located on the 2nd floor, thereby restricting public business; and

WHEREAS, the Board has determined that this constitutes a real and present emergency exists to immediately begin the elevator repair project to ensure the safety of Ashtabula County residents; now

THEREFORE, BE IT RESOLVED, by the Board of Ashtabula County Commissioners, by unanimous vote of its members, that a real and present emergency is declared at the Ashtabula County Courthouse, Justice Center Building, 25 West Jefferson St., Jefferson Village, Ohio.

AMENDMENT:

The Resolution was amended to include approval of the Kone Modernization Proposal for the Ashtabula A & B Wing for Full modernization including the elevator controller at a cost of \$127,500, fixing the Lobby Elevator with the oil leak from the valve (\$18,224) and upgrading door operator on the Main Office Elevator at the Old Courthouse (\$35,000), this amendment includes all associated costs.

Motion to amend by Ducro, 2nd by Whittington. Roll call vote: Kozlowski, Whittington, Ducro. Motion passed. Motion to adopt resolution as amended made by Whittington, 2nd by Ducro. Roll call vote: Kozlowski, Whittington, Ducro. Motion passed.

**ASHTABULA COUNTY COMMISSIONERS
CERTIFICATION PAGE**

Resolution No. 2023-99

February 07, 2023

**RESOLUTION DECLARING A REAL AND PRESENT EMERGENCY EXISTS DUE TO
IMMEDIATE ELEVATOR REPAIRS NECESSARY FOR COURTHOUSE
ACCESSIBILITY-AS AMENDED**

Upon the motion of Kathryn L. Whittington, seconded by J.P. Ducro IV.

VOTE:

**Casey R. Kozlowski
Kathryn L. Whittington
J.P. Ducro IV**

**Aye
Aye
Aye**

CERTIFICATE OF CLERK

IT IS HEREBY CERTIFIED that the foregoing is a true and correct transcript of a resolution acted upon and duly passed by the Board of County Commissioners of Ashtabula County, Ohio, on the date noted above.



Lisa Hawkins, Clerk of the Board
Board of County Commissioners
Ashtabula County, Ohio

Janet L. Discher

From: Case Zack <zack.case@kone.com>
Sent: Monday, January 23, 2023 12:42 PM
To: Janet L. Discher; Maintenance
Subject: RE: Ashtabula County A/B Wing Elevator Repair(s)
Attachments: Ashtabula County A-B Wing Hydro MOD 1-23-2023.docx; Ohio Preinspection Checklist.pdf; Ashtabula County AB Wing New Cylinder and Power Unit 01 23 2023.pdf

Hello Janet / Jim,

Please see the revised options below for the County to consider with their elevators. This is long but hopefully detailed enough to allow everyone in the decision making process to feel comfortable with their options for the equipment.

↔A/B Wing Elevator

Option 1: First Attachment. Full Modernization Including the elevator controller. \$127,500.00. Does not include the work by others required to bring the elevator machine room, shaft, and pit up to existing code requirements. I attached a preinspection check list which helps outline some of the items that will be needed.

- Project Leadtime = 6 weeks for downpayment / final engineering surveys / approvals , 16 weeks for production , 5 weeks for the project duration plus final inspection. Total of 27 weeks from the time you give us authorization to proceed.
- Option to put in an electric traction elevator would be about 150-155K. Would need to do a hoistway survey to confirm we could rip out the existing elevator and install a new one in the existing shaft.
 - o I would probably recommend sticking with the traditional hydraulic modernization route considering the elevator is not used very frequently.

Option 2: Third Attachment: Replace just the power unit and hydraulic single bottom cylinder. \$88,500.00. The original relay logic controller will be retained and mounted onto the new power unit tank. No Building work by others is required with this option.

- Project Leadtime = 1-2 weeks for approvals and reviewing of survey forms with supplier, usually around 12 weeks for production , 3 weeks for the project duration. Total estimated 16-17 weeks from time you give us authorization to proceed.

↔ Lobby Elevator with the oil leak from the valve

The existing valve is no longer available so we will need to convert from the Dover valve over to a Maxton and make some pipe adjustments necessary. Cost for this is estimated at \$18,224.00 including permit and inspection. Let me know if you want a hard proposal.

- Project leadtime would be likely 5-6 weeks to receive the new valve and then 3-4 days for the replacement, testing, and inspection. 6-7 weeks total from authorization.

↔ Main Office Elevator at the Old Courthouse:

Recommending budgeting to upgrade the door operator and related hardware on both the hatch and car side. 2023 Budget would be 35,000.00. If looking a year or two out, I would recommend adding 5% per year to cover increases in labor rates and material rates. Let me know if you want a hard proposal.

- Project Leadtime is about 12 weeks for production and one full week for the project and inspection. 13 weeks total from authorization.

I think this covers everything. Please let me know if there are any questions or if I missed anything from our meeting Thursday.

Thank you,

Zack Case
Sales Consultant

KONE Inc.
Cleveland/Pittsburgh
Mobile: 440-340-8969
Cleveland Office: 440-546-1100
Pittsburgh Office: 412-788-4364
zack.case@kone.com
www.kone.us



KONE.US/connected

From: Janet L. Discher <JLDischer@ashtabulacounty.us>
Sent: Friday, January 13, 2023 9:35 AM
To: Case Zack <zack.case@kone.com>; Maintenance <Maintenance@ashtabulacounty.us>
Subject: RE: Ashtabula County A/B Wing Elevator Repair(s)

This message is from an external sender. Be cautious, especially with links and attachments.

1 pm works for me. Thank you!

Jim – let us know if it works for you.

From: Case Zack <zack.case@kone.com>
Sent: Friday, January 13, 2023 9:34 AM
To: Janet L. Discher <JLDischer@ashtabulacounty.us>; Maintenance <Maintenance@ashtabulacounty.us>
Subject: RE: Ashtabula County A/B Wing Elevator Repair(s)

Thank you for understanding. How about Thursday the 19th at 1:00pm? I can do 2:00 or 2:30 as well. Whatever works best for you all.

Zack Case
Sales Consultant

KONE Inc.

Dedicated to People Flow

KONE

KONE

KONE

KONE MODERNIZATION PROPOSAL

Proposal:
Proposal Date:

Ashtabula County A/B Wing: HydroMod
01/23/2023



Project Location:
Ashtabula County Justice Center Courthouse
25 W Jefferson St
Jefferson OH, 44047

01/23/2023

KONE Inc.
Elevators & Escalators

6670 W Snowville Rd
Brecksville, OH, 44141
Mobile +1 14403408969
Work +14405461100
zack.case@kone.com
www.kone.us

Dear Janet Discher,

We are pleased to enclose, for your review and consideration, KONE's proposal to modernize your equipment located at the following address for the amount of **\$127,500.00** (excl. tax):

- This proposal is based on 2023 installation.
- This proposal is valid for (30) days
- Anticipated downtime: 5 weeks per unit for modernization plus state inspection.

Please know that we are available to assist you in coordinating the work by others as further described in our "Bid Attachment B". Should you have any questions or require additional information, please feel free to contact me directly.

Our quote does not include new cab interior finishes. Should new cab interior panels and ceiling be requested, we recommend budgeting an additional \$15-20K. This is an aesthetic upgrade and is not required to improve mechanical performance and meet code requirements.

We look forward to hearing from you and working together on this project.

Yours sincerely,

Zack Case


Modernization Sales Consultant

1. Why KONE?

KONE in brief

KONE is a global leader in the elevator and escalator industry. Our mission is to make cities better places to live.

Our versatile product portfolio features a wide range of innovative products including elevators, escalators, autowalks, monitoring, access and destination control systems.




Value for your project

KONE helps you to reduce operational costs, increase end-user satisfaction and value of your building by providing accessible and safe equipment through a professional and trouble-free modernization project.

- ✓ Increased user satisfaction/minimal disturbance to end-users
- ✓ Improved eco-efficiency, reduced energy consumption
- ✓ Improved safety according to latest standards

2. Ensuring your project success

Project Overview



Site Cornerstones

By ensuring that these cornerstones are in place you can ensure that your modernization project stays on schedule and that KONE technicians can perform their work quickly, safely, and with minimum disruption to building operations.

1 Site preparation requirements before materials arrive

- Loading and storage area of suitable size for materials, waste and waste storage, and tools
- Safe access route for new materials and materials being removed
- Access permissions and cards or other access devices for KONE technicians

2 Other works as agreed in the project plan, if not managed by KONE

- Please refer to Appendix 4: Bid Attachment "B" / Site Requirements & Work by Other Trades


3. Your solution

Equipment #	44872895
Rated load	2500 lbs
Rated speed	125 fpm
Travel height	12 ft 0 in
Number of floors	2 floors / 2 front openings / 0 rear opening

Electrification

KONE HydroMod DX

KONE HydroMod DX is a modular modernization solution for elevator control and electrical systems, based on the latest in control technology. This replaces outdated technology such as relays and older electronic systems, improving the levels of performance, reliability, safety and energy efficiency of your elevator. The modular structure of KONE HydroMod DX is designed to correctly interface with many types of existing elevator components, thus ensuring a swift, trouble-free installation for the building users.




A new microprocessor-based control system shall be provided to perform the functions of safe elevator motion. Included shall be all of the hardware required to connect, transfer and interrupt power, and to protect the motor against overloading. Each controller cabinet containing memory equipment shall be properly shielded from line pollution. The microcomputer system shall be designed to accept reprogramming with minimum system down time. All high voltage (110V or above) contact points inside the controller cabinet shall be protected from accidental contact in a situation where the controller doors are open. The microprocessor-based control system shall utilize on-board diagnostics for servicing, troubleshooting, and adjusting without requiring the use of an outside service tool.

Fixtures

ReVive 500/600 Signalization

New KONE car & hall signalization shall be provided.



Doors

Door Panel(s)


New hoistway door panel(s) shall be provided where applicable. New door(s) shall be UL fire rated 1 1/2 hour.

Curtain of Light

The elevator car shall be equipped with an electronic protective device extending the full height of the car. When activated, this sensor shall prevent the doors from closing or cause them to stop and reopen if they are in the process of closing. The doors shall remain open as long as the flow of traffic continues and shall close shortly after the last person passes through the door opening.

GAL Door Equipment

A new car door operator shall be installed and arranged to automatically open and close the car door panel. The opening and closing shall be made smoothly and shall be cushioned at both final limits of travel. The door operator shall be arranged so that, in the event of a power failure of the operating circuits, the car doors cannot be readily opened by hand from within the elevator cab. The elevator shall not be able to move away from a landing until the car door panel is fully closed. The car door shall be equipped with a contact, which will prevent operation of the car unless the car door is closed. The contact shall be of the approved type and tested as required by code.



Shaft equipment

Guide Shoes

New roller guide assemblies shall be provided.



Hydraulic equipment

Field Pipe & Accessories

New field pipe and or accessories shall be provided as required.

Power Unit

A hydraulic power unit, especially designed and manufactured for this service, will be furnished. The motor and pump will be submersed under the oil inside the tank in order to provide for sound isolation. A muffler, designed to reduce pulsation and noise which may be present in the flow of hydraulic oil, will be provided in the oil line at the top of the pump.



Control valves, including safety check valve, up direction valve with high pressure relief including up leveling and soft stop features, lowering valve including down leveling and manual leveling feature, will be mounted in a compact unit assembly. A valve, designed to shut off the flow of oil between the cylinder and the Power Unit, will be provided in the oil line in the machine room. Automatic two-way leveling will be provided to automatically stop and maintain the car approximately level with the landing, regardless of change in load.

An up traveling car will automatically descend to the lower terminal landing if the hydraulic system does not have a sufficient reservoir of oil. Power operated car and hoistway doors will automatically open at the lowest terminal landing permitting passenger egress. The doors will then automatically close and all control buttons, except the Door Open Button in the car operating panel, will be made ineffective.

Jack Unit

The elevator will be raised to a convenient point in the hoistway and then secured. The piston will be disconnected and lowered until it rests on the cylinder head and all oil from the hydraulic line and tank will be drained from the system. The existing piston and cylinder will then be removed.

This proposal includes a basic hole clean-out. Re-drilling or removal and disposal of soils are not included. Pricing is based on encountering soil free from rock, boulders, building construction members, sand, water, quicksand, underground caves or any other obstructions or unusual conditions. If the cylinder hole collapses, or if the hole is not fully and properly cased or should such obstructions and unusual conditions exist during excavation, KONE's Contract price will be adjusted according to the amount of additional labor and material required at our usual applied rates. An accurately ground and polished hydraulic plunger specifically designed for this project will be provided. The bottom will be fitted with a positive stop designed to prevent the plunger from leaving the cylinder. The top of the plunger will be fastened to the car platen plate.

The hydraulic cylinder will be machined from steel pipe with a heavy steel dished bulkhead welded at the lower end. The cylinder will be connected to the oil line. A safety bulkhead is provided in the cylinder. The safety bulkhead is designed to safely lower the car in the event of failure of the bottom cylinder dome. A packing gland with guide bearing, wiper ring and packing especially designed for hydraulic elevator service will be mounted at the top of the cylinder along with an oil collector ring and drain hole. The cylinder will be set plumb in the cylinder hole and backfilled with existing sand. Provisions will be made to patch the concrete pit floor.

Once the unit is securely fastened, the entire system will be filled with new hydraulic oil. A full load capacity test will be performed in accordance with the governing code to ensure proper operation. An Auxiliary casing made from Poly Vinyl Chloride (PVC) will be furnished to provide corrosion protection for the cylinder, and to act as an oil containment casing in the event of a cylinder leak. The casing will be a minimum schedule 40 wall thickness and will extend through the top of the pit floor. It will be provided with an inspection port as required by code.

Solution details

Elevator 44872895 / Solution

Electrification

Product name **KONE HydroMod DX**

Elevator group size	Simplex
Number of floors served	2
Code year	2016
Speed [FPM]	125
NEMA rating (HW)	Hoistway rating is NEMA 1.
NEMA rating (MR)	Machine room rating is NEMA 1.
Power supply voltage [v]	240
Type of power unit	Submersible
Machine room duct	KONE will remove all existing wiring, conduit and duct from the machine room. New conduit and duct properly sized and constructed for the job requirements will be installed (in accordance with applicable codes).
New motor size (hp)	25
Motor Starts per Hour	80 Standard
Type of curtain of light	This curtain of light is an electronic sensing device that operates across the car entrance. When activated, the curtain of light will prevent the doors from closing or cause them to stop and reopen if they are in the process of closing. The doors will remain open as long as the flow of traffic continues and will close shortly after the last person passes through the door opening. A 2-D type will be provided.
Qty of COPs	1
Traveling cable(s)	Existing traveling cable(s) will be removed and replaced with new traveling cable. In addition to our standard traveling cable, a second traveling cable be provided for security and/or card reader provisions.
Battery backup	Battery backup shall be provided. Battery backup allows passengers to safely exit an elevator in the event of a power outage.
Hoistway duct	KONE will remove all existing wiring, conduit and duct from the hoistway. New conduit and duct properly sized and constructed for the job requirements will be installed (in accordance with applicable codes).



Fixtures

Product name **ReVive 500/600 Signalization**

Elevator group size	Simplex
Number of floors served	2
Code year	2016
Capacity [LBS]	2500
NEMA rating (HW)	Hoistway rating is NEMA 1.
Car fixture display color	The Car Operating Panel will incorporate an amber car position indicator, showing car position in the hoistway with single or dual numeral and/or letter floor designations along with an arrow corresponding to the direction of car travel.
Car fixture material	Car fixture material finish will be #4 stainless steel.
Car fixture mounting	Car fixtures will be a flush mount design style.
Car position indicator type	Dot Matrix
Qty of COPs	1
Hall fixture display color	Amber
Hall fixture material	Hall fixture material finish will be #4 stainless steel.
Hall fixture mounting	Hall fixtures will be a surface mount design style.
Qty of hall stations (6.6" X 12.9")	2
Qty of car direction lanterns	1
Fire keyswitch type	FEO-K1 National Code
Jamb braille	New code compliant elevator jamb braille will be provided.
Qty of hoistway access switches	2



Doors


Product name **Door Panel(s)**

Number of floors served	2
Car panel finishing material	New car door panel(s) shall be provided. New door(s) shall be UL fire rated 1 ½ hour. Finish will be #4 stainless steel.
Door type	Single speed center opening.



Product name **Curtain of Light**

Number of floors served	2
Code year	2016
NEMA rating (HW)	Hoistway rating is NEMA 1.
Type of curtain of light	This curtain of light is an electronic sensing device that operates across the car entrance. When activated, the curtain of light will prevent the doors from closing or cause them to stop and reopen if they are in the process of closing. The doors will remain open as long as the flow of traffic continues and will close shortly after the last person passes through the door opening. A 2-D type will be provided.



Product name **GAL Door Equipment**

Elevator group size	Simplex
Number of floors served	2
NEMA rating (HW)	Hoistway rating is NEMA 1.
Car Hanger and Track	A new car hanger and track will be provided.
Door type	Single speed center opening.
Hatch Door Closer	New hatch door closers will be provided at the specified number of openings.
Hatch Door Drive and interlock	New hatch door drives and interlocks will be provided at the specified number of openings.
Hatch Hanger and Track	New hatch door hangers and tracks will be provided at the specified number of openings.
Hatch headers	New hatch headers will be provided for the specified number of openings.

Shaft equipment

Product name **Guide Shoes**

Capacity [LBS]	2500
Speed [FPM]	125
Car guide shoe type	HW #382 (Slide)
New car guide shoes	New spring dampened roller guide shoes will be provided.

Hydraulic equipment

Product name **Field Pipe & Accessories**

Capacity [LBS]	2500
Speed [FPM]	125
Field Pipe Length (in)	240
Field Pipe Size	2.5"
Mainline Shutoff Valves	Two manual safety valves will be supplied in the oil line at the jack unit (pit) and in the machine room.

Product name	Power Unit
Capacity [LBS]	2500
Speed [FPM]	125
Type of power unit	Submersible
New motor size (hp)	25
Motor Starts per Hour	80 Standard
Control Valve OEM	Maxton
Field Pipe Length (in)	240
Field Pipe Size	2.5"
Jack location	Inground
Jack type	Single Stage
Load class	Passenger
Qty Jacks per Car	1

Product name	Jack Unit
Number of floors served	2
Capacity [LBS]	2500
Speed [FPM]	125
Type of power unit	Submersible
Cylinder Size	6.625
Jack location	Inground
Jack type	Single Stage
Load class	Passenger
Number of Jack sections	2
PVC Size	8
Qty Jacks per Car	1
Type of Cylinder Joint	Thread & Weld (Std)
Type of PVC Casing	An Auxiliary casing made from Poly Vinyl Chloride (PVC) will be furnished to provide corrosion protection for the cylinder, and to act as an oil containment casing in the event of a cylinder leak. The casing will be a minimum schedule 40 wall thickness and will extend through the top of the pit floor. It will be provided with an inspection port as required by code.

4. Commercial Offer

Project notes

Downpayment / Engineering Surveys / Approvals = 6 weeks
Production = 16 weeks
Project Duration = 5 weeks.

Handover date

Mutually agreeable project schedule will be determined at time of proposal acceptance. Current delivery lead time is 16 weeks from when order receipt, deposit and approval of drawings have all been completed. The agreed delivery times for the project may need to be extended because of delays caused by measures undertaken to stop the spreading of the Coronavirus (2019-nCoV) epidemic, such as mandatory holiday extensions and transportation restrictions imposed by authorities in China and other countries, and the availability of personnel, logistics providers and supply chains, due to the epidemic.

Downtime period

5 weeks per unit

Warranty/maintenance

Our proposal does not include any warranty maintenance. The existing service agreement maintenance and billing will be paused and then reactivated after the Modernization Project is completed.



Tender Approval

KONE

Zack Case
6670 W Snowville Rd
Brecksville, OH, 44141
zack.case@kone.com

Owner/Representative

Janet Discher
ASHTABULA COUNTY COMMISSIONERS
25 W JEFFERSON ST
JEFFERSON, Ohio, 44047

Submitted by:

Zack Case
Sales Consultant
01/23/2023

We accept the offer constituted by this proposal (total sales price of \$127,500.00) and agree to the conditions contained therein.

Approved by Customer

Printed name:

Title:

Company name:

Date:

Appendix 1: KONE 24/7 Connected Services

KONE 24/7 Connected Services – improved safety, full transparency, and peace of mind



In addition to a quality modernization project, we would be excited to discuss KONE 24/7 Connected Services with you and the continuing benefits KONE could bring to your business. KONE is leading the industry with KONE 24/7 Connected Services using the latest intelligent elevator technology allowing us to predict issues and take action before a shutdown occurs. Predictive maintenance allows fewer shutdowns, less call-outs, and improved up-time of equipment - all leading to a better user experience!



Read more at
kone.us/connected

Appendix 2: Clarifications

1. Contract terms between KONE Inc. and Purchaser shall be based on our Proposal and Attachments "A" and "B".
2. All new elevator equipment provided shall meet applicable ASME A17.1 code requirements. Any provisions of codes applicable to out-of-scope items shall be the Purchaser's responsibility. Cost of any future code changes adopted prior to permitting and completion are excluded.
3. Existing cab and entrance dimensions, which may not meet current ADA or stretcher access rules, will be retained as is.
4. Our proposal includes inspections and testing as required by the AHJ. However, any re-testing required due to other trades' failures to complete their work or tests in a timely manner will be billed at our regular billing rates.
5. The ASME code limits changes to the empty car weight + capacity of each elevator to 5% of the originally installed value. If past or proposed changes result in a change to the weight or system pressure (for hydraulic) greater than 5% above the original design values, the cost of any engineering and of any required modifications to the elevator system or structure shall be extra to this proposal scope and pricing. If this situation is discovered during the engineering process, KONE will notify purchaser and recommend an alternate design or other changes.
6. In order to provide best pricing, proposal excludes any extra demobilizations and remobilizations. If we must demobilize from the jobsite for any reason outside our control, we shall be compensated at our regular billing rates.
7. Proposal pricing is based on the scope of work as defined herein. Any additional work required will be performed only upon Purchaser's approval of a mutually agreeable change proposal. Any other deficiencies revealed in the progress of the work will be promptly reported to purchaser with recommendations and cost for corrective action.
8. Asbestos: Notwithstanding anything contained to the contrary within this bid or contract, KONE's work shall not include any abatement or disturbance of asbestos containing material (ACM) or presumed asbestos containing materials (PACM). Any work in a regulated area as defined by Section 1910 or 1926 of the Federal OSHA regulations is excluded from KONE's scope of work without an applicable change order to reflect the additional costs and time. In accordance with OSHA requirements, the Customer shall inform KONE and its employees who will perform work activities in areas which contain ACM and/ or PACM of the presence and location of ACM and/or PACM in such areas which may be contacted during work before entering the area. Other than as expressly disclosed in writing, Customer warrants that KONE's work area at all times meets applicable OSHA permissible exposure limits (PELs). KONE shall have the right to discontinue its work in any location where suspected ACM or PACM is encountered or disturbed. Any asbestos removal or abatement, or delays caused by such, required in order for KONE to perform its work shall be the Customer's sole responsibility and expense. After any removal or abatement, customer shall provide documentation that the asbestos has been abated from the KONE work area and air clearance reports shall be made available upon request prior to the start of KONE's work.
9. Purchaser shall provide any security, escort or other building service support personnel required during demolition, installation, testing, and inspections.
10. For hydraulic elevators, we can assume no responsibility for unusual conditions such as hole cave in and complete hydraulic cylinder assembly embedded in concrete. The excavation of the hole to accommodate the new hydraulic cylinder assembly is based on encountering soil free of oil, rocks, boulders, building construction members, sand, water, quicksand, underground caves and/or any other obstructions or unusual conditions. Should such obstructions or unusual conditions be encountered, additional time above or beyond the working days estimated to complete this project may be required. We will proceed with this portion of the project on a time and material basis, based on our normal billing rates.
11. Proposed solution is subject to a complete engineering review by KONE engineering team to confirm feasibility of products proposed. Additional charges may apply for work not included, but required to meet system requirements. Additional charges for this work (if applicable) shall be mutually agreed upon.



Appendix 3: Bid Attachment “A” / KONE Inc. General Terms and Conditions (Modernization)

1. APPLICATION OF THESE TERMS

The parties agree to be bound by the terms and conditions contained in the Bid Letter, this Bid Attachment A and Bid Attachment B, including the documents incorporated herein by reference (collectively, the “Proposal”).

2. SPECIAL PURCHASING REQUIREMENTS

This Proposal is made without regard to compliance with any special sourcing and/or manufacturing requirements including, but not limited to, Buy America, Buy American, U.S. Steel, FAR clauses, minority / disadvantaged supplier requirements or similar federal and/or state procurement laws. Should such requirements be applicable to this Project, KONE reserves the right to modify and/or withdraw its Proposal.

3. PROPOSAL CONDITIONS

The Proposal shall be open for acceptance within the period stated in the Bid Letter or, when no period is stated, for a period of 30 days from the date of the Bid Letter. Prior to commencing manufacture of the equipment described in the Bid Letter (“Equipment”), KONE must have (i) a fully executed contract; (ii) a schedule acceptable to KONE identifying the Equipment installation start date, or alternatively, KONE’s letter specifying the ship date (“Ship Date Letter”) signed by Customer, which, as applicable, is incorporated by reference herein; (iii) the first payment in Section 4 herein; and (iv) fully approved KONE layouts.

4. PAYMENT TERMS

Payment of the total Price is due within 30 days from invoice date, as follows:

- 30% of the Price for engineering, site management, and overhead, billable and due upon execution of this Proposal or receipt of the subcontract;
- 50% of the Price for material and shipping, billable and due upon delivery of material to the jobsite or KONE Distribution Center;
- 20% of the Price for Equipment installation, billable and due at the billing cycle following the start of installation.

KONE imposes a surcharge for payments made via credit card that is not greater than our cost of acceptance. The surcharge that we impose for this type of transaction is a percentage of the amount paid via credit card, which will be notified to the Customer at the payment portal. KONE reserves the right to delay, suspend, or stop the work, including manufacturing, delivery, installation and/or Equipment turnover, for non-payment, without liability to KONE or being held in default. Simple interest at 1.5% per month shall be charged on amounts not paid when due. Payments to KONE are not contingent on any third-party payments to Customer. Customer shall reimburse KONE for all costs of collection, including courts costs and reasonable attorneys’ fees.

Prior to turnover, KONE must be paid in full, less 10% maximum retention, the Price including all change orders. Retention shall be due and payable within 30 days of execution of the Uniform Final Acceptance or Equipment turnover, whichever occurs first. If certified payroll reporting is required, KONE will submit the requested reporting in the format of the U.S. Department of Labor form WH 347 & WH 348. The Price does not include Textura or any other special billing requirements, which can be added via change order at a rate of 0.3% of the Price.

5. INSTALLATION

Customer shall be responsible for procurement and cost of all permits, except permits related to installation of the Equipment. Where KONE’s scope of work or other responsibilities include the obligation to utilize materials and/or finishes resembling or identical to those pre-existing in the building, KONE shall use reasonable efforts to procure such materials and Customer acknowledges and accepts that the materials and/or finishes reasonably available may not be in all respects identical to those pre-existing in the building. This Proposal is conditioned upon KONE using its standard installation method. The installation of the Equipment shall start after Customer has completed all work set forth in Bid Attachment B and any other documents describing site requirements (“Site Requirements”), all of which are incorporated by reference herein. Within two (2) weeks prior to the scheduled delivery date for KONE’s materials, KONE shall conduct a standard visual site survey to verify that the Site Requirements are complete and notify Customer if there are outstanding deficiencies preventing KONE from beginning installation.

KONE’s site survey may include, but is not limited to, inspection of site access, working and safety conditions on site, wear and tear of any existing structures or surfaces, and planning of any dismantling or removal of existing equipment, components and materials, where applicable. KONE shall not be deemed to have surveyed any hidden structures, latent defects, subsurface conditions, or other non-visible matters, including but not limited to searching for hazardous substances and/or materials, which shall be subject to Section 16. If KONE’s site survey reveals any deficiencies, KONE shall be entitled to delay the start of installation and Customer shall be responsible for all additional costs incurred by KONE, including without limitation, costs associated with: labor reallocation, re-directing materials to and storage in a KONE Distribution Center, additional labor for double handling of materials, and additional trucking, freight and insurance. Once the Site Requirements are completed, the start of installation shall be subject to the availability of labor and the delivery of material, if applicable.

KONE’s work shall be performed during regular union working hours of regular working days, Monday to Friday, statutory holidays excluded. If overtime is mutually agreed upon and performed, the additional costs for such work shall be added to the Price at KONE’s standard overtime rates. If the installation cannot be performed in an uninterrupted manner for any reason beyond KONE’s control, Customer shall store the Equipment at Customer’s cost and compensate KONE for any costs caused by such delay including, but not limited to, double handling of Equipment and demobilization. KONE shall not be required to perform overtime or any Customer directed change to its work (“Extra Work”) without an executed change order. No action by KONE, including but not limited to, performing Extra Work without an executed change order, shall be a waiver of KONE’s right to seek payment for Extra Work performed.

KONE shall be entitled to an extension of time and an equitable adjustment in the Price, including but not limited to, any increased costs of labor, including overtime, resulting from any change of schedule, re-direction of KONE personnel to another work area, acceleration, or out of sequence work.

KONE shall take reasonable methods to protect its work-in-place while KONE is actively on site and until execution of a KONE Uniform Final Acceptance, which is incorporated by reference herein. Should damage occur to KONE property, material or work-in-place by fire, water, theft or vandalism, Customer shall compensate KONE for said damages.

Additionally, the Customer is solely responsible for ensuring that the equipment maintenance contractor, if not KONE, does not disturb, delay or interfere with KONE's work. KONE shall abide by Customer's safety policies and procedures to the extent such policies and procedures are not in conflict with KONE's Safety Policy. Testing and/or security features of Equipment must be completed before Equipment turnover. KONE is not responsible for damages, either to Equipment or the building, or for any personal injury or death, arising out of or resulting from any code required safety tests performed on Equipment or hoistway access granted by Customer to other trades.

6. TEMPORARY USE

Temporary use of certain types of Equipment may be permitted, provided the use period allows adequate time for Equipment restoration for final turnover and Customer executes KONE's Temporary Use Agreement. Temporary use shall be invoiced separately and subject to payment terms in Section 4 herein. At the end of temporary use, Customer shall return the Equipment to KONE in "like new" condition.

7. HAZARDOUS MATERIALS

KONE's work shall not include any abatement or disturbance of asbestos containing material ("ACM"), presumed asbestos containing materials ("PACM"), or other hazardous materials (i.e. lead, PCBs) (collectively "HazMat"). KONE shall have the right to discontinue its work in any location where suspected HazMat is encountered or disturbed. Any HazMat removal or abatement, or delays caused by such, required in order for KONE to perform its work shall be Customer's sole responsibility and expense. Should any HazMat abatement occur within the shaft or machine room, Customer shall execute KONE's Hoistway or Pit Access Request. If any HazMat is known to be present on site before the start of work, HazMat removal or abatement shall be completed prior to KONE scheduling installation and delivering material.

8. TITLE AND RISK TO EQUIPMENT

Title to and ownership of all Equipment intended for incorporation in KONE's work, whether installed or stored on or off site, shall remain with KONE until final payment is made. Risk of loss in KONE's work and Equipment passes to Customer upon delivery to the site or off-site storage.

Any tools, devices, or other equipment that KONE uses to perform its work or monitor the Equipment remains the sole property of KONE. If this Proposal terminates or expires for any reason, Customer will give KONE access to the premises to remove such tools, devices or equipment at KONE's expense.

9. TURNOVER

Prior to turnover, KONE must receive a final punch list. Upon turnover, KONE requires a signed Uniform Final Acceptance. KONE shall provide its standard electronic O&M manuals with CD-ROMs in electronic format, if applicable, upon execution of the Uniform Final Acceptance. Standard KONE samples shall be provided upon request. No mock-ups or video training are included in the Price.

10. DELAY

KONE shall not be liable for any loss, damage, claim, or delay due to any cause beyond KONE's control, including, but not limited to, acts of domestic or foreign government (including a change in law), strikes, lockouts, work interruption or other labor disturbance, delays caused by others, fire, explosion, theft, floods, inclement weather, riot, civil commotion, war, malicious mischief, infectious diseases, epidemic, pandemic, quarantine, border or port of entry and exit restrictions or acts of God.

In the event of such delays, KONE shall be entitled to an extension in time equal to the length of such delay affecting KONE and an equitable adjustment in the Price. Customer shall compensate KONE for labor and material cost escalations resulting from Project delays not caused by KONE, which extend completion of KONE's work beyond the end of the current calendar year. Customer is on notice that IUEC labor rates increase annually.

11. LIMITED WARRANTY

For one (1) year after the acceptance date set forth in the signed Uniform Final Acceptance, date of Equipment turnover, or date of Customer's use of Equipment (unless such use is pursuant to the Temporary Use Agreement), whichever occurs first, KONE warrants Equipment against defect in workmanship and material. The warranty excludes remedy for damage or defect caused by abuse, misuse, vandalism, neglect; repairs, alteration or modifications not executed by KONE; improper or insufficient maintenance, improper operation, characteristics of the building such as electrical power or security features, natural or other catastrophe such as flood, fire, or storm, or normal wear and tear and normal usage. The warranty excludes training or instruction in the proper operation or maintenance of Equipment. Specific noise ratings and energy efficiencies cannot be guaranteed due to different building characteristics and ambient noise levels. Customer's remedy is limited to repair or replacement of a defective part, in KONE's sole discretion, and excludes labor.

12. INDEMNIFICATION

KONE shall only indemnify and hold Customer harmless for claims, damages, losses or expenses, but excluding loss of use ("Claims") due to bodily injury, including death, or tangible property damage (other than the Project or KONE's work itself) to the extent caused by KONE's negligent acts or omissions. KONE shall not indemnify Customer for any other Claims. Customer agrees to indemnify and hold KONE harmless from any Claim for bodily injury, including death, or tangible property damage in connection with the use or operation of the Equipment. Each party shall defend itself in the event of a Claim.

13. INTELLECTUAL PROPERTY

KONE shall retain title and ownership of all intellectual property rights relating (directly or indirectly) to the Equipment provided by KONE, including but not limited to software or firmware (whether in the form of source code, object code or other), drawings, technical documentation, or other technical information delivered under the Proposal. KONE grants Customer a non-exclusive and non-transferable license and right to use the software and firmware in connection with the use and maintenance of the Equipment. Customer shall not use any drawings, technical documentation or other technical information supplied by or on behalf of KONE for any purposes other than those directly related to the Proposal or to the use and maintenance of the Equipment. Customer shall not in any form copy, modify or reverse engineer the software, or give access to the software for such use to any third party without KONE's prior written consent.



14. INSURANCE

In lieu of any Customer insurance requirements, KONE shall provide its standard certificate of insurance, which shall be deemed to satisfy all insurance requirements for this Project. KONE shall not provide loss runs, insurance rate information, copies of its insurance policies or any other information which KONE considers confidential. KONE shall not provide coverage for professional (E&O) liability, pollution liability, data privacy/security, or no-fault medical payments. If the Project is covered by a Wrap Up Insurance Program, KONE agrees to participate provided there is no cost to KONE, no reduction in the Price, and subject to KONE's review of the proposed program. If KONE's primary limits are sufficient to satisfy insurance coverage requirements, excess/umbrella liability will not be required or if excess/umbrella is required, KONE's excess coverage does not follow form although typically provides broader coverage than KONE's primary policies. The excess coverage is not AM Best Rated nor licensed to do business within the jurisdiction although the carrier has strong Standard & Poor's and Moody's financial ratings that may be evidenced upon request.

15. LIMITATION OF LIABILITY

In no event shall either party be liable to the other party for any consequential, special, punitive, exemplary, liquidated, incidental, or indirect damages (including, but not limited to, loss of profits or revenue, loss of goodwill, loss of use, increase in financing costs) (collectively, "Consequential Damages") that arise out of or relate to this Proposal even if such party has been advised of the possibility of such Consequential Damages. The limitation set forth in this section shall apply whether the claim is based on contract, tort or other theory.

16. CONCEALED OR UNKNOWN CONDITIONS

If during the course of its work, KONE encounters conditions at the site that are subsurface, differ materially from what is represented in the contract documents, or otherwise concealed physical conditions, KONE shall be entitled to an extension of time and additional costs for the performance of its work, which shall not be subject to any payment conditions or contingencies.

17. TECHNICAL SURVEY

KONE's Price and obligations under this Proposal are subject to a technical survey to be performed on Customer's existing units within 90-days of the effective contract start date. If a safety hazard or code violation is identified during KONE's technical survey, Customer shall immediately remove the unit from service until repairs are performed. KONE is not obligated to perform tests, correct outstanding violations or deficiencies that were not addressed by the prior service provider and/or the owner, or make related necessary repairs or component replacements on the unit. If additional work is necessary, KONE shall provide a separate proposal or recommendation for such work. Customer agrees to indemnify, defend, and hold KONE harmless for any claims arising out of Customer's failure to comply with KONE's recommendations and proposal, and any obligation on the part of KONE to indemnify or defend Customer with regard to such claim shall be null and void. If Customer does not immediately approve KONE's proposal or recommendation, KONE reserves the right to terminate this Proposal/contract without penalty.

18. TERMINATION

If a party materially breaches this Proposal, the other party shall provide written notice of the breach and a reasonable time to cure the breach, but in no event less than 30 days. If the breaching party fails to cure the breach within the specified time period, the non-breaching party may terminate the Proposal upon 15 days written notice to the other party. If KONE notifies Customer of a material breach pursuant to this paragraph, KONE may temporarily suspend its work without liability.

19. GOVERNING LAW AND DISPUTE RESOLUTION

The parties agree that this Proposal shall be governed by the laws of the state where the Project is located, and venue for disputes shall be located in that state. KONE does not agree to participate in arbitration proceedings.

20. PRICE ADJUSTMENT

KONE shall be entitled to an equitable adjustment in the Price, including but not limited to, any increased costs between the time the Contract is signed and the date of manufacture for materials, labor, or shipping, as well as increased costs resulting from any change in law or tariffs.

21. 24/7 EMERGENCY VIDEO COMMUNICATIONS

Applicable only for projects where KONE 24/7 Emergency Video Communications is included: The KONE 24/7 Emergency Video Communications contract addendum and General Terms and Conditions for KONE Digital Services must be signed by the Building Owner. This contract addendum requires the Building Owner to pay a fee for audio, video, and data connectivity. This payment obligation, among other provisions, survives termination of any maintenance agreement.

22. MISCELLANEOUS

This Proposal, including the documents incorporated herein by reference, constitutes the entire agreement of the parties and supersedes all prior negotiations, understandings, and representations whether written or oral in relation to the subject matter hereof. Where a conflict or ambiguity exists between this Proposal and any other contract document (including but not limited to, Customer's drawings and specifications), the terms and conditions of this Proposal shall control. This Proposal may be amended only in writing by the duly authorized representative of both parties. This Proposal may be executed in one or more counterparts. Each counterpart shall be considered an original and all of the counterparts shall constitute a single agreement binding all the parties as if all had signed a single document. For purposes of executing this Proposal, a document signed by electronic means is to be treated as an original document. The failure of either party to insist upon performance or strict performance of any of the terms or conditions of this Proposal shall not be deemed a waiver of any rights or remedies that such party may have or a waiver of any subsequent breach or default under this Proposal. Neither party may assign or transfer the benefit or burden of this Proposal without prior written consent of the other party.

Appendix 4: Bid Attachment “B” / Site Requirements & Work by Other Trades

The work described below is a summary of work to be performed by others (“Work by Other Trades”) that may be required in conjunction with the elevator modernization performed by KONE (the “Work”). Purchaser shall provide any and all building electrical, structural and mechanical system upgrades required for code compliance, life safety, and proper equipment installation and operation. The Authorities Having Jurisdiction (AHJ) may require additional remedial or preparatory work. All required remedial or preparatory work shall be performed by properly licensed trade contractors in compliance with applicable codes and based on a schedule of performance that allows for uninterrupted progress of the Work. Under no circumstances shall KONE be responsible for any cost associated with the performance of remedial work by others. Purchaser shall provide the following unless specifically included in KONE’s Work:

1. ELECTRICAL

- A properly rated three phase fused disconnect switch, externally operable and lockable in the open position, located as required by code. Accommodate any increases in motor size or feeder loads.
- A dedicated 110 VAC fused disconnect switch, externally operable and lockable in the open position adjacent to the machine room door for cab lighting and ventilation, located as required by code.
- Shunt-trip disconnect if fire sprinklers are present in machine room or hoistway.
- GFI 120 VAC convenience outlets in machine room and pit.
- Separate outlet in the pit area if a sump pump is installed.
- Telephone line service brought to the elevator machine room for emergency communication device.
- Any required RF shielding of TV or radio transmitters, antennae and/or wave-guides.
- Conduit with pull boxes from each elevator bank to any remote fire control or communication panels specified.
- Provide a separate 15-amp, 115 VAC fused service with ground (powered by building emergency power system, when available) for KONE 24/7 Emergency Communications, when specified. Must include the means to disconnect each service and lock-off in the “open” position (NFPA 70 article 620.22 and 620.53 or CEC article 38.22 and 38.53).

If required by building code: standby/emergency power, sufficiently sized to provide power of permanent characteristics to each elevator’s disconnect, simultaneously, upon loss of regular power, including feeders, transfer switches and auxiliary contact signal outputs to elevator controllers.

2. MACHINE ROOM

- A code-compliant machine room. Provide or maintain fire rating as required by building code.
- Fire-rated door for access into the machine room. Door shall be self-closing and self-locking, operable from inside the room without the use of a key.
- Independent ventilation or an air conditioning system for the elevator machine room, to assure temperature is maintained between 65 degrees and 95 degrees Fahrenheit.
- Fire extinguisher inside machine room.
- Minimum clear machine room height of 7’-0”.
- Suitable lighting that provides a minimum of 19 ftc at floor.
- Removal of any non-elevator related equipment and materials from within the machine room and proper disposal of oil and other hazardous or non-hazardous substances and materials.

3. HOISTWAY

- A code-compliant hoistway, constructed in accordance with KONE’s requirements and specifications. Provide or maintain fire rating as required by building code.
- Patching of all holes in hoistway walls with fire rated material.
- Beveling all ledges within hoistway measuring over 4”.
- Removal of any non-elevator related equipment and materials from within the hoistway and proper disposal of oil and other hazardous or non-hazardous substances and materials.
- A guarded light fixture and light switch in pit. Switch must be located 42” above the lowest landing floor level.
- A means of displacing water located in the pit and containing and disposing of oil, chemicals, and other substances in compliance with environmental laws and regulations (KONE assumes no responsibility for discharge of oil, chemicals, and other substances into storm water systems, sanitary sewer systems, retention ponds, etc.). Elevator hoistway ventilation to the outside atmosphere as required by building code.

4. FIRE SERVICE

- Fire alarm smoke detectors with wiring and relays in the machine room terminating at elevator controller.
- Fire alarm initiating devices must be located in front of each elevator entrance as well as in the machine room and at the top of the hoistway.
- Where sprinklers exist in the machine room and/or hoistway, a fire alarm initiating device within 12” of each sprinkler head.

5. ACCESS INTEGRATION/SECURITY

- Our proposal includes KONE logic and provisions for the specified Touchscreen(s), Keypad Destination Operating Panel(s), Monitoring System(s) and Multi-Media Equipment.
- Card Readers and/or any additional required hardware & software for proper functionality of access control/security system(s) shall be furnished and installed by others.
- Any required software to ensure proper communication between KONE control system(s) and building system(s) shall be the responsibility of others.
- A designated 115V 15A circuit is required at each of the remote monitoring stations.
- KONE recommends a minimum 100 Mbit/s Ethernet for each of the following application(s): Integrated Touchscreen/Keypad Destination Operating Panels, Monitoring System, Multi-Media Equipment, and Card Readers.

6. COUNTERWEIGHTING

- Pricing is based upon the existing car to counterweight weight ratio being consistent with elevator industry standards. This is defined as the counterweight weight being equal to the empty car weight plus 40%. The actual assemblies will be weighed during the modernization process. If modifications are required to correct the existing weight balance, these modifications will be provided at additional cost.

7. RK1 FUSES AND CIRCUIT BREAKERS

- Fuses are to be current limiting class RK1 or equivalent. Circuit breakers are to have current limiting characteristics equivalent to RK1 fuses. Provisions of these fuses are the responsibility of others, not KONE.

8. GENERAL

- Access to the building to perform the Work and for deliveries with dry, protected storage adjacent to the hoistway.
- Cutting of existing walls, floors and finishes, together with all repairs made necessary by such cutting or changes, e.g. cutting of lobby walls for flush hall fixtures and removal of encroaching lobby features such as wall-mounted ashtrays. Removal, replacement, and/or repair of any mirrors, millwork, plaster, stone or other special hall finishes.
- All work of other trades must be complete and ready at time of first elevator inspection, or elevator will not be released for operation by the AHJ. If the AHJ does allow temporary operation under a Temporary Operating Inspection (TOI), any associated costs shall be Purchaser's responsibility.
- Our tender is based on suitable site conditions, material and tooling storage space, and bathroom access being available on site.
- Safe working environment must be provided and supported by provision for adequate entrance protection, means of hoisting, hoistway dividing screens, and protection of floors walls and doors etc.
- Emergency evacuation procedures to be clearly defined where required. Subject to site survey and actions agreed.
- Any portion of the Work that is subject to the permissions of local authorities beyond the elevator permits must be identified to KONE. Responsibility for permits to be agreed. Permits and appropriate signage indicating any changes to pedestrian access routes for building users must be in place prior to start of the Work.
- Elevator installation methods requires the integrity of the existing Safety Gear and Overspeed protection devices, and are therefore subject to verification of suitability prior to commencement of the work. Any remedial work required or alternative solution is not included in this tender.
- If KONE 24/7 Emergency Video Communications: For units with travel greater or equal to 60 ft (18 m), or if located in a seismic zone and the code year is 2016 or later (regardless the travel): Customer will provide a dedicated Windows-based PC or laptop with Chrome browser and 24-hour/day Internet access. This computer must be accessible by emergency personnel to communicate through voice and text with people in the elevator and to have a video display of the cab interior.

2/8/2023

ASHTABULA COUNTY COMMISSIONERS
25 W JEFFERSON ST
JEFFERSON, 44047
United States

ATTN: Janet Discher

KONE Inc.
6670 W Snowville Rd
Brecksville, OH 44141
Tel +14405461100
Fax +14405461106
www.kone.com
zack.case@kone.com

Re: Old Courthouse - Door Operator Upgrade

Description of Work

We propose to furnish and install the labor, materials, tools and supervision to perform the following work on the passenger elevator located at the Ashtabula County Old Courthouse.

KONE technicians will replace the existing door operator with a new GAL MOVFR closed loop door operator. New door operator will come with a VVVF drive, PC board, AC Motor, car hanger and clutch. A new car door electronic safety edge will be included. The hatch door gibs, pick up rollers, and z brackets will be replaced. The car door panel and hatch door panels will be retained.

Price

Our total price to perform the above-mentioned work amounts to: \$34,855.00.

Our price includes applicable labor, material and permit fees. This proposal is not binding on KONE until approved by an authorized KONE representative. Pricing is subject to KONE's attached Terms and Conditions for tendered repairs and, by signing below, Purchaser hereby agrees to these Terms and Conditions. Price is valid for 30 days from the date of this proposal.

THE CUSTOMER UNDERSTANDS THAT THIS IS A FIXED PRICE PROPOSAL. SUPPORTING DOCUMENTATION FOR MATERIALS AND/OR LABOR SHALL NOT BE A CONDITION PRECEDENT IN ORDER FOR PAYMENT IN FULL TO BE MADE TO KONE.

The agreed delivery times for the project may need to be extended because of delays caused by measures undertaken to stop the spreading of the Coronavirus (2019-nCoV) epidemic, such as mandatory holiday extensions and transportation restrictions imposed by authorities in China and other countries, and the availability of personnel, logistics providers and supply chains, due to the epidemic.

Down Payment

The above quoted price is based on a fifty percent (50%) down payment, due before the order will be processed. No material will be ordered and work shall not commence until applicable down payment is received. Once the proposal is signed and loaded into our system a down payment invoice will be issued.

ACCEPTANCE: The foregoing Agreement is hereby signed and accepted in duplicate on behalf of ASHTABULA COUNTY COMMISSIONERS

(Signature)

(Print Name)

Casey Kozlowski

(Print Title)

President

Date: 2 / 15 / 23

Respectfully submitted by,
KONE Inc.

Zack Case, Sales Consultant

(Approved By) Authorized Representative

Title

Date: ___ / ___ / ___

TERMS AND CONDITIONS

This proposal is subject to the following terms and conditions, all of which are hereby agreed to:

KONE shall submit invoices for the value of material delivered and/or labor performed, less the down payment paid at the time of proposal acceptance. A final invoice shall be issued by KONE upon completion of the work and shall include all balances due. Purchaser agrees to pay the amount of any tax imposed by any existing law, or by any law enacted after the date of this Agreement, based upon the transfer, use, ownership or possession of the equipment involved in the services rendered herein. KONE reserves the right to discontinue our work at anytime until we have assurance, satisfactory to us, that payments will be made as agreed. Final payment shall become due and payable upon completion of the work described in this Agreement. KONE imposes a surcharge for payment made via credit card that is not greater than our cost of acceptance. The surcharge that we impose for this type of transaction is a percentage of the amount paid via credit card, which will be notified to the customer at the payment portal. Failure to pay any sum due to KONE within thirty (30) days of the invoice will be a material breach. A delinquent payment charge calculated at the rate of 1½ % per month, or if such rate is usurious then at the maximum rate under applicable law, shall be applied to the delinquent payments. In the event of default on the payment provisions herein, Purchaser agrees to pay, in addition to any defaulted amount, all attorney fees, collection cost or court costs in connection therewith. The machinery, implements and apparatus furnished hereunder remain KONE's personal property and KONE retains title thereto until final payment is made, with right to retake possession of the same at the cost of the Purchaser if default is made in any of the payments, irrespective of the manner of attachment to the realty, the acceptance of notes, or the sale, mortgage or lease of the premises.

The states requiring notice prior to filing a lien, this notice requirement is hereby complied with.

A party is not liable for failure to perform its obligations under the Agreement if such failure results from Acts of God, fire, flood, unusual delay in deliveries, unavoidable casualties, terrorist activities, government sanction, blockage, embargo, labor dispute, strike, or lockout, concealed conditions, shortage or unavailability of materials, supplies, labor, equipment or systems, interruption or failure of electricity or telephone service or any other causes beyond the party's control. The non-performing party must promptly notify the other party in writing of the force majeure event and resume performance immediately upon cessation of the event.

Purchaser agrees to provide safe access to the equipment and machine room areas. Should conditions develop beyond KONE's control, making the building or premises in which KONE's personnel are working unsafe, KONE reserves the right to discontinue work until such unsafe conditions are corrected. Should damage occur to KONE's material or work on the premises, by fire, theft or otherwise, Purchaser shall compensate us therefore.

Any asbestos removal necessitated by work described in this Proposal will be the Purchaser's responsibility. Purchaser shall provide documentation that the asbestos has been abated from the KONE work area and air clearance reports shall be made available upon request. Purchaser is responsible for all costs of oil disposal should it be determined that oil from Purchaser's equipment is contaminated.

KONE undertakes to perform this work in conformity with the usual applied codes and standards, however, no guarantee can be made that all code violations or defects have been found. This work is not intended as a guarantee against failure or malfunction of equipment at any future time.

It is agreed and understood that KONE is not responsible for damages, either to the vertical transportation equipment or to the building, or for any personal injury or death, arising from or resulting from any code required safety tests performed on this equipment.

Nothing in this agreement shall be construed to mean that KONE assumes any liability of any nature whatsoever arising out of, relating to or in any way connected with the use or operation of the equipment described above. Purchaser shall be solely responsible for the use, repair and maintenance of the equipment and for taking such steps including but not limited to providing attendant personnel, warning signs and other controls necessary to ensure the safety of the user or safe operation of the equipment.

Neither KONE nor its affiliates, subsidiaries or divisions shall be responsible or liable for any damages, claims, suits, expenses and payments on account of or resulting from any injury, death or damage to property arising or resulting from the misuse, abuse or neglect of the equipment herein named or any other device covered by this contract.

Purchaser shall at all times and at Purchaser's own cost, maintain a commercial general liability policy covering bodily injury and property damage with the limits of liability Purchaser customarily carry (naming KONE as additional insured) arising out of the services provided under this Authorization and/or the ownership, maintenance, use or operation of the equipment described herein.

It is agreed and understood that Purchaser is solely responsible for ongoing maintenance and care of the equipment described above. IT IS EXPRESSLY UNDERSTOOD, IN CONSIDERATION OF OUR PERFORMANCE OF THIS WORK THAT PURCHASER ASSUMES ALL LIABILITY FOR THE USE, MAINTENANCE OR OPERATION OF THE EQUIPMENT DESCRIBED ABOVE AND FOR ANY INJURY, INCLUDING DEATH, TO ANY PERSON OR PERSONS AND FOR DAMAGE TO PROPERTY OR LOSS OF USE THEREOF, ON ACCOUNT OF OR RESULTING FROM THE PERFORMANCE OF THE WORK TO BE DONE HEREIN, AND AGREES TO THE EXTENT PERMITTED BY LAW TO DEFEND, INDEMNIFY AND HOLD HARMLESS KONE, ITS OFFICERS, DIRECTORS AND EMPLOYEES FROM ALL DAMAGES, CLAIMS, SUITS, EXPENSES AND PAYMENTS ON ACCOUNT OF OR RESULTING FROM ANY SUCH INJURY, DEATH OR DAMAGE TO PROPERTY, EXCEPT THAT RESULTING FROM THE SOLE NEGLIGENCE OF KONE INC. Purchaser hereby waives any and all rights of recovery, arising as a matter of law or otherwise, which Purchaser might now or hereafter have against KONE Inc.

KONE warrants the materials and workmanship of the equipment for 90 days after completion. Purchaser's remedy is limited to repair or replacement of a defective part, in KONE's sole discretion. The warranty is limited to the replacement or repair of the part itself, and excludes labor. In no event shall KONE be responsible for damage due to normal wear and tear, vandalism, abuse, misuse, neglect, work or repairs or modifications by others, or any other cause beyond the control of KONE. KONE disclaims any other warranty of any kind, either expressed or implied, including without limitation the implied warranties of merchantability or fitness for a particular purpose, or noninfringement.

Unless otherwise agreed, it is understood that the work shall be performed during regular working hours of regular working days of the elevator trade. If overtime work is mutually agreed upon and performed, the additional price, at KONE's usual rates for such work, shall be added to the contract price herein named.

It is expressly understood and agreed all prior agreements written or verbal regarding the subject matter herein are void and the acceptance of this Agreement shall constitute the contract for the material and work specified in this Agreement. Any changes to this Agreement must be made in writing and signed by both parties.

The terms and conditions set forth herein shall constitute the complete agreement for any work performed, AND shall prevail over and supersede any terms and conditions contained in any documents provided by the Purchaser.

The Purchaser does hereby agree the exclusive venue for any dispute between the parties shall be in the county of Rock Island, IL.

2/8/2023

ASHTABULA COUNTY COMMISSIONERS
25 W JEFFERSON ST
JEFFERSON, 44047
United States

ATTN: Janet Discher

KONE Inc.
6670 W Snowville Rd
Brecksville, OH 44141
Tel +14405461100
Fax +14405461106
www.kone.com
zack.case@kone.com

Re: Ashtabula County - Lobby #2 Valve Replacement

Description of Work

We propose to furnish and install the labor, materials, tools and supervision to perform the following work on the lobby #2 elevator valve located at Ashtabula County Courthouse.

We will furnish and install a new elevator control valve. The existing valve will be removed from the power unit and hydraulic system. The valve will be provided with adapters connecting it to the oil reservoir, pump and hydraulic jack. The valve will be positioned on the power unit for easy access for servicing and adjustment.

We will furnish and install the control relays and circuitry to provide the piloting signals to the valve solenoids. The valve is designed with up start, up acceleration, up leveling, up stop, down start, down acceleration, down leveling, and down stop features.

Once the valve, control relays and circuitry are installed, adjustments to the pressure relief controls will be calibrated for pressures meeting the latest or current elevator capacity and code requirements. After the installation is complete, we will make a final check of the elevator.

Proactive Replacement:

- **Avoids unplanned disruption:** The valve may fail at the worst time. Valve lead time is about one week. Waiting until problems occur and reactive replacement can result in disrupting your building's operations.
- **Minimizes disruption:** The elevator is working while the valve is shipped to you.
- **Improves tenants' experience:** Providing advanced notice of elevator shutdown allows tenants to plan ahead.

Benefits:

- Improves performance and ride quality - improves tenant perception of your building
- Improves reliability and increases availability and may reduce operating expenses for service interruptions not covered under your maintenance agreement
- Improves leveling - reducing tripping hazards and rough starts and stops, improving safety and reducing your claims risk
- Complies with ADA code



Upgrading to a new valve improves the oil flow required to move and stop the elevator properly.

Price

Our total price to perform the above-mentioned work amounts to: \$18,224.00.

Our price includes applicable labor, material and permit fees. This proposal is not binding on KONE until approved by an authorized KONE representative. Pricing is subject to KONE's attached Terms and Conditions for tendered repairs and, by signing below, Purchaser hereby agrees to these Terms and Conditions. Price is valid for 30 days from the date of this proposal.

THE CUSTOMER UNDERSTANDS THAT THIS IS A FIXED PRICE PROPOSAL. SUPPORTING DOCUMENTATION FOR MATERIALS AND/OR LABOR SHALL NOT BE A CONDITION PRECEDENT IN ORDER FOR PAYMENT IN FULL TO BE MADE TO KONE.

The agreed delivery times for the project may need to be extended because of delays caused by measures undertaken to stop the spreading of the Coronavirus (2019-nCoV) epidemic, such as mandatory holiday extensions and transportation restrictions imposed by authorities in China and other countries, and the availability of personnel, logistics providers and supply chains, due to the epidemic.

Down Payment

The above quoted price is based on a fifty percent (50%) down payment, due before the order will be processed. No material will be ordered and work shall not commence until applicable down payment is received. Once the proposal is signed and loaded into our system a down payment invoice will be issued.

ACCEPTANCE: The foregoing Agreement is hereby signed and accepted in duplicate on behalf of ASHTABULA COUNTY COMMISSIONERS

Respectfully submitted by,
KONE Inc.



(Signature)

Zack Case, Sales Consultant

Casey Kozlowski

(Print Name)

(Approved By) Authorized Representative

President

(Print Title)

Title

Date: 2 / 15 / 23

Date: ____ / ____ / ____

TERMS AND CONDITIONS

This proposal is subject to the following terms and conditions, all of which are hereby agreed to:

KONE shall submit invoices for the value of material delivered and/or labor performed, less the down payment paid at the time of proposal acceptance. A final invoice shall be issued by KONE upon completion of the work and shall include all balances due. Purchaser agrees to pay the amount of any tax imposed by any existing law, or by any law enacted after the date of this Agreement, based upon the transfer, use, ownership or possession of the equipment involved in the services rendered herein. KONE reserves the right to discontinue our work at anytime until we have assurance, satisfactory to us, that payments will be made as agreed. Final payment shall become due and payable upon completion of the work described in this Agreement. KONE imposes a surcharge for payment made via credit card that is not greater than our cost of acceptance. The surcharge that we impose for this type of transaction is a percentage of the amount paid via credit card, which will be notified to the customer at the payment portal. Failure to pay any sum due to KONE within thirty (30) days of the invoice will be a material breach. A delinquent payment charge calculated at the rate of 1½ % per month, or if such rate is usurious then at the maximum rate under applicable law, shall be applied to the delinquent payments. In the event of default on the payment provisions herein, Purchaser agrees to pay, in addition to any defaulted amount, all attorney fees, collection cost or court costs in connection therewith. The machinery, implements and apparatus furnished hereunder remain KONE's personal property and KONE retains title thereto until final payment is made, with right to retake possession of the same at the cost of the Purchaser if default is made in any of the payments, irrespective of the manner of attachment to the realty, the acceptance of notes, or the sale, mortgage or lease of the premises.

The states requiring notice prior to filing a lien, this notice requirement is hereby complied with.

A party is not liable for failure to perform its obligations under the Agreement if such failure results from Acts of God, fire, flood, unusual delay in deliveries, unavoidable casualties, terrorist activities, government sanction, blockage, embargo, labor dispute, strike, or lockout, concealed conditions, shortage or unavailability of materials, supplies, labor, equipment or systems, interruption or failure of electricity or telephone service or any other causes beyond the party's control. The non-performing party must promptly notify the other party in writing of the force majeure event and resume performance immediately upon cessation of the event.

Purchaser agrees to provide safe access to the equipment and machine room areas. Should conditions develop beyond KONE's control, making the building or premises in which KONE's personnel are working unsafe, KONE reserves the right to discontinue work until such unsafe conditions are corrected. Should damage occur to KONE's material or work on the premises, by fire, theft or otherwise, Purchaser shall compensate us therefore.

Any asbestos removal necessitated by work described in this Proposal will be the Purchaser's responsibility. Purchaser shall provide documentation that the asbestos has been abated from the KONE work area and air clearance reports shall be made available upon request. Purchaser is responsible for all costs of oil disposal should it be determined that oil from Purchaser's equipment is contaminated.

KONE undertakes to perform this work in conformity with the usual applied codes and standards, however, no guarantee can be made that all code violations or defects have been found. This work is not intended as a guarantee against failure or malfunction of equipment at any future time.

It is agreed and understood that KONE is not responsible for damages, either to the vertical transportation equipment or to the building, or for any personal injury or death, arising from or resulting from any code required safety tests performed on this equipment.

Nothing in this agreement shall be construed to mean that KONE assumes any liability of any nature whatsoever arising out of, relating to or in any way connected with the use or operation of the equipment described above. Purchaser shall be solely responsible for the use, repair and maintenance of the equipment and for taking such steps including but not limited to providing attendant personnel, warning signs and other controls necessary to ensure the safety of the user or safe operation of the equipment.

Neither KONE nor its affiliates, subsidiaries or divisions shall be responsible or liable for any damages, claims, suits, expenses and payments on account of or resulting from any injury, death or damage to property arising or resulting from the misuse, abuse or neglect of the equipment herein named or any other device covered by this contract.

Purchaser shall at all times and at Purchaser's own cost, maintain a commercial general liability policy covering bodily injury and property damage with the limits of liability Purchaser customarily carry (naming KONE as additional insured) arising out of the services provided under this Authorization and/or the ownership, maintenance, use or operation of the equipment described herein.

It is agreed and understood that Purchaser is solely responsible for ongoing maintenance and care of the equipment described above. IT IS EXPRESSLY UNDERSTOOD, IN CONSIDERATION OF OUR PERFORMANCE OF THIS WORK THAT PURCHASER ASSUMES ALL LIABILITY FOR THE USE, MAINTENANCE OR OPERATION OF THE EQUIPMENT DESCRIBED ABOVE AND FOR ANY INJURY, INCLUDING DEATH, TO ANY PERSON OR PERSONS AND FOR DAMAGE TO PROPERTY OR LOSS OF USE THEREOF, ON ACCOUNT OF OR RESULTING FROM THE PERFORMANCE OF THE WORK TO BE DONE HEREIN, AND AGREES TO THE EXTENT PERMITTED BY LAW TO DEFEND, INDEMNIFY AND HOLD HARMLESS KONE, ITS OFFICERS, DIRECTORS AND EMPLOYEES FROM ALL DAMAGES, CLAIMS, SUITS, EXPENSES AND PAYMENTS ON ACCOUNT OF OR RESULTING FROM ANY SUCH INJURY, DEATH OR DAMAGE TO PROPERTY, EXCEPT THAT RESULTING FROM THE SOLE NEGLIGENCE OF KONE INC. Purchaser hereby waives any and all rights of recovery, arising as a matter of law or otherwise, which Purchaser might now or hereafter have against KONE Inc.

KONE warrants the materials and workmanship of the equipment for 90 days after completion. Purchaser's remedy is limited to repair or replacement of a defective part, in KONE's sole discretion. The warranty is limited to the replacement or repair of the part itself, and excludes labor. In no event shall KONE be responsible for damage due to normal wear and tear, vandalism, abuse, misuse, neglect, work or repairs or modifications by others, or any other cause beyond the control of KONE. KONE disclaims any other warranty of any kind, either expressed or implied, including without limitation the implied warranties of merchantability or fitness for a particular purpose, or noninfringement.

Unless otherwise agreed, it is understood that the work shall be performed during regular working hours of regular working days of the elevator trade. If overtime work is mutually agreed upon and performed, the additional price, at KONE's usual rates for such work, shall be added to the contract price herein named.

It is expressly understood and agreed all prior agreements written or verbal regarding the subject matter herein are void and the acceptance of this Agreement shall constitute the contract for the material and work specified in this Agreement. Any changes to this Agreement must be made in writing and signed by both parties.

The terms and conditions set forth herein shall constitute the complete agreement for any work performed, AND shall prevail over and supersede any terms and conditions contained in any documents provided by the Purchaser.

The Purchaser does hereby agree the exclusive venue for any dispute between the parties shall be in the county of Rock Island, IL.